

COBRO - PACKAGING RESEARCH INSTITUTE
Packaging Certification Centre

[Logo of COBRO]

CERTIFICATE

[logo] Polish Centre for
 Accreditation [PCA]
 Product Certification
 AC 016

No. UN/16/1665/18

for packaging for hazardous materials

COBRO – Packaging Research Institute

grants the right to label this packaging with the following mark



3H1/Y/100/...*/PL/COBRO 1665/HGB

Name of packaging:

Two-chamber canister with the capacity of 5.0 + 2.0 dm³ from PE-HD Hostalen ACP 5831 D (95%) and PE-LD MALEN E FGAN 23 D003 (5%), (minimum weight of 620 g - maximum weight of 650 g), with a cap made of copolymer PP Moplen EP300K and a seal, for the transport (chamber with the capacity of 5.0 dm³) of liquid hazardous materials of Packaging Group II and III with the density of up to 1.2 g/cm³, for which a reference liquid is white spirit. The chamber with the capacity of 2.0 dm³ is not approved for hazardous materials.


Identification document:

Producer's technical documentation (TD)

- Certificate holder: **"HICO GROUP" Sp. z o.o., [address:] ul. Inwalidów 1A, 85-727 Bydgoszcz**
 - Packaging producer: **"HICO GROUP" Sp. z o.o., [address:] ul. Inwalidów 1A, 85-727 Bydgoszcz**
 - Packaging meets requirements specified in: **ADR-2017 and RID-2017**
 - Certification system: **COBRO-UNT (type 3 according to PN-EN ISO/IEC 17067:2014-01)**
 - Tests conducted in: **COBRO Transport Packaging Research Laboratory**
 - Report number: **157/DOT/2017**
 - Rights and obligations of the certificate holder have been provided in the Agreement No. **DC/1-UN/17** of January 16, 2017
 - The certificate is valid from **August 01, 2018** to **July 31, 2019**
- Maximum period of using the canister is 5 years since the date of production.
- * - year of production / two last digits/

method of packing and possibilities of carrying a concrete material in the packaging under this certificate should be referred each time to the above cited regulations (in accordance with the ONZ identification number)

This Certificate concerns only the products with identical properties (parameters) like the presented research form (forms) and in compliance with the above specified requirements.



CERTIFIED TRANSLATION FROM POLISH

MANAGER
of Certification and Packaging
Centre
mgr inż. Andrzej Milewski"
[Illegible signature]

[Official round seal with the Polish
national emblem in the middle and the
inscription in the framing:]
"COBRO - Packaging Research Institute in
Warsaw"

PP DIRECTOR
of COBRO - Packaging Research
Institute
prof. nzw. dr hab. inż. Hanna
Żakowska
[Illegible signature]

Warsaw, May 09, 2018

[Address:] 02-942 Warsaw, 11 Konstancińska Str.

[In yellow capital letters vertically on both sides of this certificate:] "COBRO - Packaging Research Institute"

~~~~~

I, the undersigned, Biruta Gruszecka, a Certified Translator in English, entered in the Register of Certified Translators kept by the Ministry of Justice as TP/1740/06, certify this to be a true and correct translation of the Polish document presented to me. This document is issued without any erasures or alterations. -----  
Toruń, 28 May 2018-----

Index No. 1057/18 -----

